
Kawasaki

PARTS CATALOG


MODEL IDENTIFICATION

Snowmobile models are identified in the parts catalog by Marketing Code numbers. The chart contains the Marketing Code along with the Marketing Name for identification cross reference.

MARKETING NAME	MARKETING CODE
INVADER 340 INVADER 440	SS340-A2 SS440-A2
INTRUDER 440	ST440-A2



INVADER



INTRUDER

© 1978, Kawasaki Motors Corp., USA
First Printed: July 1978 (2.5m). Rapid Design Service – BFP Printed in U.S.A.


Kawasaki

CATALOGUE DES PIECES

IDENTIFICATION DES MODELES

Les modèles de motoneiges sont identifiables dans le catalogue des pièces détachées par leurs numéros de code marchands. On trouvera ces codes dans le tableau ainsi que le nom marchand du modéle correspondant de motoneige.

DENOMINATION	MODELE
INVADER 340 INVADER 440	SS340-A2 SS440-A2
INTRUDER 440	ST440-A2



INVADER




INTRUDER

GENERAL

This catalog contains the exploded views and replacement parts lists for serviceable components of Kawasaki snowmobiles. Always use GENUINE KAWASAKI parts for replacement to maintain the standards of reliability, performance, and safety that was designed into Kawasaki snowmobiles.


Use the Parts Catalog by following the explanations listed below.



1

1 INDEX

Locate the system or component that requires replacement parts in the pictorial index, and turn to the page number indicated for the exploded view and parts list.



2


2 EXPLODED VIEW

Each serviceable part in the exploded view is identified by a reference number. Use the reference number to locate necessary part information in the PARTS LIST BREAKDOWN.

Parts not shown disassembled in the exploded view are not sold separately, but are included in the complete unit or next higher assemblies as shown in the illustration.

Reference numbers connected to broken lines indicate assembly part numbers. All of the components inside the broken lines are included when the assembly part number is ordered.

Parts drawn with dotted lines are reference components used to show location of assemblies or proper positioning of replacement parts. Refer to the pictorial index to find the page number and exploded view for the reference components.



3


3 PARTS LIST BREAKDOWN

Always use the complete Kawasaki part number to order parts. Avoid shipping errors by ensuring the entire part number is legible.

Items in the description column preceded by a black dot indicate that this part is included in the above assembly.

When Right Hand and Left Hand descriptions are used, these positions are identified when looking from the back to the front of the snowmobile. (EXAMPLE: The manual starter is on the Right Hand side of the snowmobile.)

The quantity column indicates which snowmobile model the part is used on and the total quantity required for repair of the snowmobile. (EXAMPLE: The exploded view of the ski shows one ski, however, the quantity column contains the amount required to repair both skis.)



4

4 NUMERICAL PARTS INDEX

Each part number is listed numerically in the index located at the rear of this catalog. It contains the page number, for part location reference, along with quantity used per model. Use the numerical index to determine component location when only the part number is known.

ABBREVIATIONS

AR . . . . . As Required	LH . . . . . Left-Hand	PSI . . . . . Pounds Square Inch
Assy . . . . . Assembly	m . . . . . Meter	PTO . . . . . Power Take Off
CA . . . . . Cut Away	mm . . . . . Millimeter	RH . . . . . Right-Hand
Carb . . . . . Carburetor	No . . . . . Number	Ref . . . . . Reference
CDI . . . . . Capacitor Discharge Ignition	NC . . . . . National Coarse	Std . . . . . Standard
GE . . . . . General Electric	OC . . . . . Outside Circumference	T . . . . . Tee
hex . . . . . Hexagonal	OD . . . . . Outside Diameter	V . . . . . Volt
ID . . . . . Internal Diameter	Opt . . . . . Optional	W . . . . . Width or Watts


GENERALITES

Le présent catalogue contient les vues détaillées des pièces internes et les listes de pièces détachées pour l'entretien des motoneiges Kawasaki. N'utilisez que des pièces de remplacement d'ORIGINE KAWASAKI afin de maintenir les standards de fiabilité, de performance et de sécutité qui sont le propre des motoneiges Kawasaki.

Pour utiliser le catalogue de pièces détachées, suivez les instructions ci-dessous.

1 REPERTOIRE

Localisez le système ou l'élément nécessitant des pièces de remplacement dans le répertoire illustré et tournez à la page indiquée à laquelle vous trouverez la vue détaillée et la liste de pièces correspondantes.




2 VUE DETAILLEE MONTRANT LES DIFFERENTES PIECES DANS LEUR POSITION CORRECTE

Chaque pièce remplacable est identifiée par un numéro de référence. Utilisez ce numéro de référence pour repérer les renseignements se rapportant à cette pièce dans la NOMENCLATURE DES PIECES DETACHEES.

Les pièces n'apparaissant pas démontées dans la vue détaillée ne sont pas vendues séparément mais font partie d'un bloc complet ou de l'ensemble suivant le plus proche, comme indiqué sur l'illustration.

Les numéros de référence reliés à des lignes brisées indiquent les numéros de pièces d'un ensemble. Tous les éléments situés à l'intérieur des lignes brisées sont compris dans la commande portant le numéro de pièces de l'ensemble.

Les pièces dessinées en pointillé sont des éléments de référence servant à montrer l'emplacement des ensembles ou le placement correct des pièces de rechange. Référez-vous au répertoire illustré pour trouver la page portant la vue détaillée des éléments de référence.




3 NOMENCLATURE DES PIECES DETACHEES

Indiquez toujours le numéro de pièce complet Kawasaki pour vos commandes de pièces. Assurez-vous que le numéro entier est parfaitement lisible afin d'éviter toute erreur à l'expédition.

Les articles précédés d'un point noir à la colonne "Description" indiquent que ces pièces font partie d'un ensemble.


Quand il existe des descriptions pour la Droite et la Gauche, ces positions sont identifiées en regardant la motoneige de l'arrière vers l'avant. (EXEMPLE! le démarreur à main se trouve du côté Droit de la motoneige.)

La colonne quantité indique le modèle de motoneige sur lequel la pièce est utilisée et le nombre total de pièces nécessaires à la réparation de la motoneige. (EXEMPLE! La vue détaillée du ski, montre un seul ski, toutefois, la colonne quantité indique tout ce qui est nécessaire à la réparation des deux skis.)



4 NOMENCLATURE DES PIECES DETACHEES


Chaque numéro de pièce fait partie d'une liste par ordre de grandeur numérique, dans la nomenclature qui se trouve à la fin du catalogue. Elle comprend le numéro de la page, la référence pour l'emplacement des pièces, ainsi que la quantité nécessaire par modèle. Lorsqu'onlne connaît que le numéro de la pièce, utiliser la nomenclature pour déterminer l'emplacement de l'élément.




ABRÉVIATIONS

AR .....Commo Requis
Assy ..... Ensemble
CA .....Coupe
Carb ..... Carburateur
CDI ..... Allumage Électrostatique
GE ..... General Electric
hex ..... Hexagonal
ID ..... Diamètre Intérieur
LH .....Gauche
m ..... Mètre
mm ..... Millimètres
No ..... Numéro
NC ..... National Coarse
OC ..... Circonférence Extérieure
OD (DE) .....Diamètre Extérieur
Opt .....Optionnel
PSI ..... Livre-Mesure-Ponce
PTO (PDM) .....Prise De Mouvement
RH .....Droite
Ref .....Référence
Std .....Standard
T .....Ferrue enté
V ..... Volt
W .....Largeur or Watts


1. Engine Mount & Exhaust . . . . . Page 1




2. Instruments, Lights & Wiring . . . . . Page 3




3. Controls & Switches . . . . . Page 5




4. Drive Converter . . . . . Page 7



5. Driven Converter . . . . . Page 9




6. Chain Case & Jackshaft . . . . . Page 11




INDEX


7. Brake . . . . . Page 15




8. Suspension . . . . . Page 17




9. Driveshaft . . . . . Page 21




10. Ski & Spindle . . . . . Page 23




11. Steering . . . . . Page 25




12. Chassis 1/3 . . . . . Page 27




13. Chassis 2/3 . . . . . Page 31




14. Chassis 3/3 . . . . . Page 33




15. Hood (SS340-A2, SS440-A1) . . . . . Page 35




16. Hood (ST440-A2) . . . . . Page 39




17. Seat & Console . . . . . Page 41




18. Fuel System . . . . . Page 43




19. Lubrication System . . . . . Page 47




20. Chassis Coolant System . . . . . Page 49




21. Cables . . . . . Page 51




22. Carburetor (SS340-A2) . . . . . Page 53




23. Carburetor (SS440-A2, ST440-A2) . . . . . Page 55




24. Cylinder Head & Cylinder . . . . . Page 59
(SS340-A2, SS440-A2)




25. Cylinder Head & Cylinder (ST440-A2) . . . . Page 61




26. Crankcase . . . . . Page 63




27. Piston & Crankshaft . . . . . Page 65




28. Engine Gear Case . . . . . Page 67




29. Fan Cooling System (ST440-A2) . . . . . Page 69




30. Engine Coolant System . . . . . Page 71
(SS340-A2, SS440-A2)




31. Magneto . . . . . Page 73




32. Recoil Starter . . . . . Page 75



33. Tool Kit . . . . . Page 77



34. Special Tools . . . . . Page 79




35. Engine Assemblies and Manuals

MODEL	ENGINE	OWNERS MANUAL	ASSEMBLY & PREPARATION MANUAL
SS340-A2	70340-3007	99974-3504	99964-3510
SS440-A2	70440-3011	99974-3504	99964-3510
ST440-A2	70440-3009	99974-3503	99964-3511


MODEL	SHOP MANUAL	FLAT RATE MANUAL
SS340-A2	99963-3505	99990-3501
SS440-A2	99963-3505	99990-3501
ST440-A2	99963-3506	99990-3501

1. ENGINE MOUNT & EXHAUST




1. ENGINE MOUNT & EXHAUST

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	350BA0800	NUT, insert, 1/4-28	6	6	6	Grade 5, zinc plated
2	39082-3504	MOUNT, engine	1	1	1	
3	39156-3508	PAD, engine mount	1	1		Protects hose
4	350BA1200	NUT, insert, 3/8-24	2	2	2	Grade 5, zinc plated
5	92075-3505	DAMPER, engine mount	2	2	2	
6	92025-3506	SHIM, engine mount, .080" thick	AR	AR	AR	Converter alignment
	92025-3507	SHIM, engine mount, .040" thick	AR	AR	AR	Converter alignment
7	119BA1240	BOLT, 3/8-24 x 2.50	2	2	2	Grade 5, zinc plated
8	119BA0808	BOLT, 1/4-28 x .50	6	6	6	Grade 5, zinc plated
9	39157-3502	MOUNT, engine PTO	1	1	1	
10	92009-3503	SCREW, socket, 1/4-28 x .50	5	5	5	Button head, grade 8
11	351BA1000	NUT, insert, 5/16-18	4	4	4	Grade 5, zinc plated
12	412EA1000	WASHER, plain, 5/16"	4	4	4	Steel, zinc plated
13	32069-3501	BRACKET, rear muffler	1	1	1	
14	92075-3507	DAMPER, exhaust mount	2	2	2	
15	92022-3518	WASHER, insulating flat	2	2	2	
16	39083-3501	MUFFLER ASSY, tuned	1	1		
	39083-3502	MUFFLER ASSY, tuned			1	
17	92022-3520	WASHER, insulating shoulder	2	2	2	
18	49006-3502	BOOT, exhaust outlet	1	1	1	
19	39178-3501	MANIFOLD, exhaust	1	1		
	39178-3502	MANIFOLD, exhaust			1	
20	92081-3502	SPRING, exhaust joint	2	2	2	



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

2. INSTRUMENTS, LIGHTS & WIRING

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	23001-3503	HEADLAMP ASSY	1	1	1	
2	23007-3501	• LENS, headlamp	1	1	1	
3	92069-3501	• BULB, headlamp	1	1	1	
	92069-3504	BULB, quartz headlamp	opt	opt	opt	
4	92009-3519	• SCREW, headlamp adjusting	4	4	4	
5	92081-3512	• SPRING, adjustment	4	4	4	
6	14020-3505	• RETAINER	1	1	1	
7	26001-3505	HARNESS, headlamp	1	1	1	
8	23025-3501	LAMP ASSY, tail	1	1	1	
9	23026-3503	• LENS, tail lamp	1	1	1	
10	244DA0506	• SCREW, 8-32 x .37	2	2	2	Grade 60M, zinc plated
11	11009-3505	• GASKET, lens	1	1	1	
12	92069-3502	• BULB, tail lamp	1	1	1	GE #1157
13	23027-3501	• BODY ASSY, tail lamp	1	1	1	Includes wiring
14	350BA0600	• NUT, insert, 10-32	2	2	2	Grade 5, zinc plated
15	25005-3504	SPEEDOMETER ASSY	1	1	1	
16	92069-3503	• BULB, 12V, 3.4W	1	1	1	
17	25015-3503	TACHOMETER ASSY	1	1	1	
18	92069-3503	• BULB, 12V, 3.4 W	1	1	1	
19	52005-3502	GAUGE, temperature	1	1		Includes sending unit tubing assy
20	92069-3503	• BULB, 12V, 3.4W	1	1		
21	92072-3505	BAND, cable tie	1	1	1	Main harness to engine connector
22	92072-3501	BAND, cable tie	6	6	6	
23	26001-3504	HARNESS ASSY, main wiring	1	1	1	
24	21169-3501	• TERMINAL	5	5	5	Main harness to engine
25	13159-3503	• CONNECTOR	1	1	1	Main harness to engine
26	350BA0800	NUT, insert, 1/4-28	1	1	1	Grade 5, zinc plated
27	21066-3501	REGULATOR, voltage	1	1	1	
28	92022-3538	WASHER, special	1	1	1	
29	119BB0822	BOLT, 1/4-28 x 1.37	1	1	1	Grade 5, cadmium plated



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	SS440-A2	ST440-A2	Remarks
1	39074-3501	LEVER ASSY, throttle, 36mm		1		
	39074-3502	LEVER ASSY, throttle, 32mm	1		1	
2	27010-3506	• SWITCH, emergency stop	1	1	1	
3	13169-3510	• PLATE, throttle case	1	1	1	
4	92009-3520	• SCREW, lock	1	1	1	
5	92043-3504	• PIN, lever	1	1	1	
6	39075-3504	• LEVER, throttle, 36mm		1		
	39075-3502	• LEVER, throttle, 32mm	1		1	
7	92022-3517	• WASHER, pin	1	1	1	
8	92033-3505	• RETAINER, pin	1	1	1	
9	32099-3502	• CASE, throttle	1	1	1	
10	92009-3524	• SCREW, plate	1	1	1	
11	43077-3501	LEVER ASSY, brake	1	1	1	
12	27010-3503	• SWITCH, dimmer	1	1	1	
13	92009-3520	• SCREW, lock	1	1	1	
14	92043-3504	• PIN, lever	1	1	1	
15	43001-3501	• LEVER, brake	1	1	1	
16	92022-3517	• WASHER, pin	1	1	1	
17	92033-3505	• RETAINER, pin	1	1	1	
18	32099-3501	• CASE, brake	1	1	1	
19	13169-3509	• PLATE, brake case	1	1	1	
20	92009-3524	• SCREW, plate	1	1	1	
21	27010-3505	• SWITCH, brake light	1	1	1	
22	27005-3501	SWITCH ASSY, key	1	1	1	
23	92015-3509	• NUT, face	1	1	1	
24		• KEY NO.	AR	AR	AR	Set of 2
	27008-3501	• • KEY 20	AR	AR	AR	Set of 2
	27008-3502	• • KEY 21	AR	AR	AR	Set of 2
	27008-3503	• • KEY 22	AR	AR	AR	Set of 2
	27008-3504	• • KEY 23	AR	AR	AR	Set of 2
	27008-3505	• • KEY 24	AR	AR	AR	Set of 2
	27008-3506	• • KEY 25	AR	AR	AR	Set of 2
	27008-3507	• • KEY 26	AR	AR	AR	Set of 2
	27008-3508	• • KEY 27	AR	AR	AR	Set of 2
	27008-3509	• • KEY 28	AR	AR	AR	Set of 2
	27008-3510	• • KEY 29	AR	AR	AR	Set of 2
	27008-3511	• • KEY 30	AR	AR	AR	Set of 2
	27008-3512	• • KEY 31	AR	AR	AR	Set of 2


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24


4. DRIVE CONVERTER

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	49093-3005	CONVERTER ASSY, drive		1		
	49093-3006	CONVERTER ASSY, drive	1			
	49093-3007	CONVERTER ASSY, drive			1	
2	92001-3013	• BOLT, 1/2-20 x 6.43"	1	1	1	Special
3	92022-3015	• WASHER, special conical	3	3	3	
4	92022-3017	• WASHER, sleeve	1	1	1	
5	92001-3001	• BOLT, flanged, 6 x 20mm	18	18	18	
6	14025-3001	• COVER ASSY	1	1	1	
7	92028-3008	• • BUSHING, 40 x 44 x 12mm	1	1	1	
8	42036-3004	• SLÈEVE	1	1	1	
9	92081-3001	• SPRING, yellow, 100.5mm	1	1	1	144 pounds @ 34.5mm
	92081-3004	SPRING, pink, 89.9mm	opt	opt	opt	122 pounds @ 34.5mm
	92081-3005	SPRING, red, 94.9mm	opt	opt	opt	133 pounds @ 34.5mm
	92081-3006	SPRING, blue, 105.2mm	opt	opt	opt	155 pounds @ 34.5mm
	92081-3002	SPRING, black, 110.1mm	opt	opt	opt	166 pounds @ 34.5mm
10	49050-3003	• SPIDER	1	1	1	
11	92022-3016	• WASHER, spider	3	3	3	
12	92022-3001	• WASHER, split	2	2	2	
13	13070-3002	• GUIDE, wear	3	3	3	
14	59301-3001	• SHEAVE ASSY, movable	1	1	1	
15	92028-3001	• • BUSHING, 40 x 44 x 20mm	1	1	1	
16	92001-3015	• BOLT, steel, 6 x 16mm	3	opt	opt	Black, 5.3 grams
	110G0620	• BOLT, steel, 6 x 20mm	opt	3	opt	Silver, 6.0 grams
	110G0628	• BOLT, steel, 6 x 28mm	opt	opt	3	Silver, 7.3 grams
17	13042-3002	• WEIGHT, 1.6mm thick	opt	3	18	1.0 gram
	13042-3001	• WEIGHT, 0.8mm thick	opt	3	opt	0.5 gram
18	92026-3001	• SPACER, 10 x 16 x 0.8mm	12	12	12	
19	39152-3005	• WEIGHT ASSY, ramp	3	3	3	Replace as set (Marked E) 47 grams
20	92043-3001	• PIN, 6.5 x 10 x 38mm	6	6	6	
21	92019-008	• NUT, special lock, 6mm	3	3	3	2.3 grams
22	92122-3001	• ROLLER ASSY	3	3	3	
23	59302-3001	• SHEAVE, fixed	1	1	1	
24	59011-3502	BELT, converter	1	1	1	46.62" OC - 1.25" W


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
15

5. DRIVEN CONVERTER


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	49094-3003	CONVERTER ASSY, driven	1	1	1	
2	59301-3002	• SHEAVE ASSY, movable	1	1	1	
3	92028-3005	• • BUSHING, 32, 36 x 20mm	1	1	1	
4	92028-3004	• • BUSHING, 25 x 28 x 30mm	1	1	1	
5	59296-3004	• SHEAVE ASSY, fixed	1	1	1	
6	49048-3002	• • SHOE, wear	3	3	3	
7	92028-3006	• • BUSHING, 50 x 55 x 20mm	1	1	1	
8	49092-3001	• RAMP, 35°	1	1	1	
	49092-3002	RAMP, 30°	opt	opt	opt	
9	480J5000	• CIRCLIP, 50mm	1	1	1	
10	42033-3001	• COUPLING	1	1	1	
11	13041-3003	• BALANCER, coupling, 0.8mm thick	AR	AR	AR	Use balancer *ONLY* if installed during production assembly. Note balancer location prior to removal.
12	92001-3001	• BOLT, flanged, 6 x 20mm	6	6	6	
13	92081-3003	• SPRING, driven converter	1	1	1	
14	14025-3006	COVER, movable sheave	opt	opt	opt	
15	221B0610	SCREW, 6 x 10mm	opt	opt	opt	Use Loc-Tite (8 each cover)
16	92025-3501	SHIM, .32" thick	AR	AR	AR	Converter alignment
	92025-3502	SHIM, .063" thick	AR	AR	AR	Converter alignment
	92025-3503	SHIM, .100" thick	AR	AR	AR	Converter alignment
17	92001-3519	BOLT, 5/8-18 x 1.38"	1	1	1	Lock patch
18	14025-3005	COVER, fixed sheave	opt	opt	opt	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

6. CHAIN CASE & JACKSHAFT


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92001-3503	BOLT, 1/4-20 x 1.00	6	6	6	Lock patch
2	39039-3501	COVER, chain case	1	1	1	
3	52005-3501	GAUGE, oil level	1	1	1	
4	92055-3501	SEAL, "O" ring	1	1	1	
5	92081-3506	SPRING, pink tensioner	1	opt	opt	.049 wire dia x 3.38 long
	92081-3508	SPRING, green tensioner	opt	1	1	.049 wire dia x 3.75 long
	92081-3503	SPRING, blue tensioner	opt	opt	opt	.055 wire dia x 3.75 long
	92081-3504	SPRING, red tensioner	opt	opt	opt	.049 wire dia x 3.00 long
	92081-3505	SPRING, orange tensioner	opt	opt	opt	.055 wire dia x 3.00 long
	92081-3507	SPRING, yellow tensioner	opt	opt	opt	.055 wire dia x 3.38 long
	92081-3509	SPRING, white tensioner	opt	opt	opt	.055 wire dia x 2.50 long
	92081-3510	SPRING, black tensioner	opt	opt	opt	.049 wire dia x 2.50 long
6	92057-3502	CHAIN, 64 pitch silent	1	opt	opt	
	92057-3503	CHAIN, 66 pitch silent	opt	1	1	
7	36014-3501	CHAIN CASE	1	1	1	
8	350BA0800	NUT, 1/4-28	2	2	2	Grade 5, zinc plated
9	350BA1000	NUT, insert, 5/16-24	4	4	4	Grade 5, zinc plated
10	92066-3501	PLUG, drain	1	1	1	
11	41086-3502	FLANGE	1	1	1	
12	119BA0814	BOLT, 1/4-28 x .88	3	3	3	Grade 5, zinc plated
13	92045-3508	BEARING ASSY	1	1	1	
14	92027-3501	• COLLAR	1	1	1	
15	92009-3525	• SCREW, set	1	1	1	Lock patch
16	350BA1200	NUT, insert, 3/8-24	1	1	1	Grade 5, zinc plated
17	14020-3503	RETAINER, bearing	1	1	1	
18	92025-3504	SHIM, bearing retainer	AR	AR	AR	
19	119BA1220	BOLT, 3/8-24 x 1.25	1	1	1	Grade 5, zinc plated
20	344BA1200	NUT, jam, 3/8-24	1	1	1	Grade 5, zinc plated
21	412EA1200	WASHER, plain, 3/8"	2	2	2	Steel, zinc plated
22	92001-3516	BOLT, 3/8-24 x 1.50	1	1	1	Lock patch
23	350BA0800	NUT, insert, 1/4-28	3	3	3	Grade 5, zinc plated
24	39069-3503	JACKSHAFT	1	1	1	
25	119BA1228	BOLT, 3/8-24 x 1.75	1	1	1	Grade 5, zinc plated
26	92022-3523	WASHER, special	3	3	3	
27	119BA1052	BOLT, 5/16-24 x 3.25	4	4	4	Grade 5, zinc plated
28	92049-3501	SEAL, lower oil	1	1	1	
29	92045-3511	BEARING, lower ball	1	1	1	
30	39135-3505	SPROCKET, 37 tooth driven	1	opt	opt	
	39135-3508	SPROCKET, 39 tooth driven	opt	1	1	
	39135-3506	SPROCKET, 36 tooth driven	opt	opt	opt	
	39135-3504	SPROCKET, 38 tooth driven	opt	opt	opt	
	39135-3501	SPROCKET, 40 tooth driven	opt	opt	opt	

6. CHAIN CASE & JACKSHAFT (CONTINUED)




6. CHAIN CASE & JACKSHAFT (CONTINUED)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
31	92022-3502	WASHER	1	1	1	Special heat treat
32	92001-3504	BOLT, 1/2-13 x 1.00	1	1	1	Lock patch
33	39170-3501	TENSIONER ARM	2	2	2	
34	412EA0800	WASHER, plain, 1/4"	2	2	2	Steel, zinc plated
35	119BA0816	BOLT, 1/4-28 x 1.00	2	2	2	Grade 5, zinc plated
36	12053-3501	GUIDE, chain	2	2	2	Tensioner wear block
37	39092-3501	PIN, hair	2	2	2	
38	42036-3501	SLEEVE, tensioner arm	2	2	2	
39	92001-3505	BOLT, 5/8-18 x 1.00	1	1	1	Lock patch
40	92022-3503	WASHER, special	1	1	1	Special heat treat
41	39134-3502	SPROCKET, 18 tooth drive	1	opt	opt	
	39134-3503	SPROCKET, 21 tooth drive	opt	1	1	
	39134-3506	SPROCKET, 17 tooth drive	opt	opt	opt	
	39134-3505	SPROCKET, 19 tooth drive	opt	opt	opt	
	39134-3508	SPROCKET, 22 tooth drive	opt	opt	opt	
	39134-3504	SPROCKET, 20 tooth drive	opt	opt	opt	
42	92026-3501	SPACER, sprocket	1	1	1	
43	92045-3510	BEARING, upper ball	1	1	1	
44	92049-3502	SEAL, upper oil	1	1	1	
45	92066-3502	PLUG, fill	1	1	1	


1
2
16
17
18
19
20
21
15
14
13
12
3
4
5
11
6
7
8
9
10


7. BRAKE

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	119BA1240	BOLT, 3/8-24 x 2.50	2	2	2	Grade 5, zinc plated
2	11034-3501	BRACKET, brake cable	1	1	1	
3	92043-3501	PIN, push	2	2	2	Lube with "Never-Seez"
4	13169-3502	PLATE, pad back-up	1	1	1	
5	43050-3501	PAD, brake	1	1	1	
6	39044-3502	DISC ASSY, brake	1	1	1	
7	43041-3501	CALIPER ASSY, brake	1	1	1	
8	43050-3501	• PAD, brake	1	1	1	Same as item 5
9	43042-3501	• CALIPER, fixed side	1	1	1	
10	350BA1200	NUT, insert, 3/8-24	2	2	2	Grade 5, zinc plated
11	92038-3502	KEY, special woodruff	1	1	1	
12	92081-3501	SPRING, brake return	1	1	1	
13	92081-3511	SPRING, cam	1	1	1	
14	13070-3501	GUIDE, spring	1	1	1	
15	41050-3501	CAM, brake	1	1	1	Lube with "Never-Seez"
16	350BA1000	NUT, insert, 5/16-24	1	1	1	Grade 5, zinc plated
17	92022-3504	WASHER, special	1	1	1	Brake stud
18	351BA0800	NUT, insert, 1/4-20	1	1	1	Grade 5, zinc plated
19	14020-3502	RETAINER, clevis	1	1	1	
20	92028-3501	BUSHING, retainer	1	1	1	
21	118BA0812	BOLT, 1/4-20 x .75	1	1	1	Grade 5, zinc plated


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78


8. SUSPENSION

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	SS440-A2	ST440-A2	Remarks
1	39004-3501	AXLE, rear	1	1	1	
2	92026-3506	SPACER, rear axle wheels	2	2	2	
3	92022-3508	WASHER, rear axle	4	4	4	
4	39172-3501	BRACKET, rear axle	2	2	2	
5	350BA1000	NUT, insert, 5/16-24	6	6	6	Grade 5, zinc plated
6	92039-3509	RIVET, 3/16"	32	32	32	Bracket mounting
7	92001-3507	BOLT, special, 5/16-24 x 2.75	2	2	2	Track adjusting
8	11034-3515	BRACKET, track adjusting	2	2	2	
9	41073-3501	WHEEL ASSY, rear axle	3	3	3	
10	39153-3503	• WHEEL, rear axle	3	3	3	
11	92026-3509	• SPACER, inside	3	3	3	
12	92045-3502	• BEARING, ball	3	3	3	
13	92033-3504	• RING, snap	3	3	3	
14	92026-3508	• SPACER, outside	3	3	3	
15	413EA1200	WASHER, plain, 3/8"	2	2	2	Steel, zinc plated
16	465FA1200	WASHER, spring lock, 3/8"	2	2	2	Steel, zinc plated
17	118BA1216	BOLT, 3/8-16 x 1.00	2	2	2	Grade 5, zinc plated
18	39116-3503	SHAFT, pivot	1	1	1	Rear suspension
19	39093-3501	PIPE, track guard	1	1	1	Rear suspension
20	92009-3530	SCREW, special	2	2	2	
21	92026-3505	SPACER, suspension arm	2	2	2	
22	92015-3511	NUT, special, 5/16-24	2	2	2	
23	92001-3508	BOLT, special, 3/8-16 x 1.00	12	12	12	Whiz lock
24	23062-3502	BRACKET, front and rear brace	4	4	4	
25	35009-3503	BRACE, suspension rail	2	2	2	Front and rear
26	92001-3511	BOLT, special, 3/8-24 x 1.00	2	2	2	Grade 8, lock patch
27	92022-3507	WASHER, special	2	2	2	
28	39007-3502	ARM, rear suspension	2	2	2	
29	92028-3506	BUSHING, pivot arm	4	4	4	
30	39020-3501	BRACKET, rear suspension	2	2	2	
31	350BA1200	NUT, insert, 3/8-24	2	2	2	Grade 5, zinc plated
32	39102-3501	PIVOT ARM ASSY	1	1	1	Rear suspension
33	119BA1232	BOLT, 3/8-24 x 2.00	2	2	2	Grade 5, zinc plated
34	39105-3502	RAIL, suspension	2	2	2	
35	92039-3521	RIVET, 3/16"	4	4	4	Bumper stopper
36	59201-3501	BUMPER, stopper	4	4	4	Rubber bumper
37	92022-3536	WASHER, special back up	4	4	4	Bumper stopper
38	39018-3501	BRACKET, front suspension	2	2	2	
39	39116-3501	SHAFT	2	2	2	
40	92081-3531	SPRING, LH	1	1	1	
	92081-3530	SPRING, RH	1	1	1	
41	39116-3502	SHAFT, front pivot	1	1	1	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78


8. SUSPENSION (CONTINUED)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
42	39125-3502	TRACK, snow, 15 x 121	1	1	1	
43	99970-3502	ROD ASSY, track	48	48	48	
44	92039-3535	• RIVET, special, 1/4 x 28	384	384	384	8 required each rod
45	341BA0800	• NUT, 1/4 x 28	384	384	384	Grade 5, zinc plated
46	39113-3502	• ROD, track	48	48	48	
47	534YW0608	RIVET, 3/16"	4	4	4	Front spring plates
48	119BA1028	BOLT, 5/16-24 x 1.75	4	4	4	Grade 5, zinc plated
49	13169-3517	PLATE, front spring cam	4	4	4	
50	49060-3503	CAM, front spring	2	2	2	
51	92026-3523	SPACER, front spring cam	4	4	4	
52	39139-3502	STRIP, rail wear	2	2	2	Hi Fax
53	92026-3512	SPACER, outside	2	2	2	
54	41073-3504	WHEEL ASSY, front idler	2	2	2	
55	92026-3508	• SPACER, outside	2	2	2	
56	92033-3504	• RING, snap	2	2	2	
57	92045-3502	• BEARING, ball	2	2	2	
58	39153-3506	• WHEEL, idler	2	2	2	
59	92026-3509	• SPACER, inside	2	2	2	
60	92026-3511	SPACER, center	1	1	1	
61	350BA0800	NUT, insert, 1/4-28	6	6	6	Grade 5, zinc plated
62	413EA0800	WASHER, plain, 1/4"	2	2	2	Steel, zinc plated
63	119BA0816	BOLT, 1/4-28 x 1.00	4	4	4	Grade 5, zinc plated
64	33001-3502	ARM ASSY, swing	1	1	1	Front suspension
65	45014-3501	SHOCK ABSORBER, suspension	1	1	1	
66	92028-3502	BUSHING, shock absorber	2	2	2	Rear mount
67	42036-3502	SLEEVE, shock absorber	1	1	1	Rear mount
68	49060-3501	CAM, shock absorber	1	1	1	Ride adjustment
69	92081-3515	SPRING, shock absorber	1	1	1	Standard
70	39108-3503	RETAINER, spring	1	1	1	Standard
71	99970-3501	SPRING KIT, shock absorber	opt	opt	opt	Heavy duty
72	39108-3502	• RETAINER, spring	opt	opt	opt	Heavy duty
73	92081-3524	• SPRING, shock absorber	opt	opt	opt	Heavy duty
74	92026-3525	SPACER, long	1	1	1	Limiter strap
75	39076-3502	LIMITER, strap	2	2	2	Not adjustable
76	92022-3535	WASHER, special limiter	4	4	4	
77	92026-3524	SPACER, short	2	2	2	Limiter strap
78	92009-3531	SCREW, special	2	2	2	Hi Fax mounting


1
2
3
2
4
5
6
7
8
5
4
2
3
2
1
16
15
14
13
12
11
10
9


9. DRIVE SHAFT

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92033-3503	RING, snap	2	2	2	Idler wheel
2	92022-3501	WASHER, special	4	4	4	
3	39153-3505	WHEEL, idler	2	2	2	Drive shaft
4	92033-3501	RING, snap	2	2	2	Sprocket
5	12046-3502	SPROCKET, track drive	2	2	2	
6	32032-3521	PIPE, spacer	1	1	1	
7	39159-3501	SHAFT, track drive	1	1	1	
8	41077-3502	ADAPTER, speedometer key	1	1	1	Pressed into drive shaft
9	41077-3501	ADAPTER, speedometer drive	1	1	1	
10	119BA1012	BOLT, 5/16-24 x .75	3	3	3	Grade 5, zinc plated
11	39171-3501	FLANGE	1	1	1	
12	350BA1000	NUT, insert, 5/16-24	3	3	3	Grade 5, zinc plated
13	39072-3501	KEY, speedometer adapter	1	1	1	
14	92045-3509	BEARING ASSY	1	1	1	
15	92027-3502	• COLLAR	1	1	1	
16	92009-3526	• SCREW, set	1	1	1	Lock patch



1
1
2
3
4
23
13
5
13
6
7
22
21
8
20
9
10
11
12
20
13
13
14
15
19
13
16
13
18
18
17

10. SKI & SPINDLE


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92028-3509	BUSHING, spindle	4	4	4	
2	39126-3501	SPINDLE, ski	2	2	2	
3	42036-3505	SLEEVE, spindle	2	2	2	Spindle to saddle
4	92075-3503	DAMPER	2	2	2	
5	119CA1220	BOLT, 3/8-24 x 1.25	4	4	4	Grade 8, zinc plated
6	39181-3501	SADDLE, ski	2	2	2	
7	119CA1256	BOLT, 3/8-24 x 3.50	2	2	2	Grade 8, zinc plated
8	39130-3501	SPRING, monoleaf	2	2	2	
9	42036-3503	SLEEVE, spring	2	2	2	Rear bushing
10	39094-3502	PLATE, back-up	2	2	2	
11	59201-3502	BUMPER, ski	2	2	2	
12	39106-3501	RETAINER, bumper	2	2	2	
13	350BA1200	NUT, insert, 3/8-24	14	14	14	Grade 5, zinc plated
14	351BA1000	NUT, insert, 5/16-18	6	6	6	Grade 5, zinc plated
15	119BA1244	BOLT, 3/8-24 x 2.75	2	2	2	Grade 5, zinc plated
16	39122-3503	SKI	2	2	2	
17	39120-3501	SKEG	2	2	2	
18	119BA1248	BOLT, 3/8-24 x 3.00	4	4	4	Grade 5, zinc plated
19	39138-3503	STRIP, rub	2	2	2	
20	92026-3510	SPACER, shock absorber	4	4	4	
21	45014-3502	SHOCK ABSORBER, ski	2	2	2	
22	119BA1232	BOLT, 3/8-24 x 2.00	2	2	2	Grade 5, zinc plated
23	92022-3528	WASHER, special	2	2	2	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19,25
20
21,23
22
23
24
25
26
27
28
29
30
31
32
33


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	46003-3502	HANDLE, steering	1	1	1	
2	92037-3508	CLAMP, wire	2	2	2	
3	46012-3501	HOLDER, handle	1	1	1	
4	92009-3510	SCREW, 1/4-20 x 1.00	4	4	4	Socket head
5	46075-3501	GRIP, handle	2	2	2	
6	92001-3511	BOLT, 3/8-24 x 1.00	3	3	3	Grade 8, lock patch
7	92022-3528	WASHER, special	3	3	3	
8	46012-3502	HOLDER, handle	1	1	1	
9	92028-3504	BUSHING	2	2	2	
10	39009-3501	BLOCK, upper mount	2	2	2	
11	350BA1000	NUT, insert, 5/16-24	2	2	2	Grade 5, zinc plated
12	39100-3502	POLE ASSY, steering	1	1	1	
13	11034-3523	BRACKET, base	1	1	1	
14	350BA1200	NUT, insert, 3/8-24	4	4	4	Grade 5, zinc plated
15	39111-3503	ROD, tie	1	1	1	Rear
16	119BA1222	BOLT, 3/8-24 x 1.37	1	1	1	Grade 5, zinc plated
17	39006-3502	ARM, left steering	1	1	1	
18	92022-3511	WASHER, wave	2	2	2	
19	39112-3504	ROD END, tie	1	1	1	RH thread
20	119BA1224	BOLT, 3/8-24 x 1.50	2	2	2	Grade 5, zinc plated
21	344BA1200	NUT, 3/8-24	2	2	2	Grade 5, zinc plated
22	39111-3506	ROD, tie	1	1	1	Front
23	92015-3510	NUT, special, 3/8-24	2	2	2	LH thread
24	119BA1228	BOLT, 3/8-24 x 1.75	1	1	1	Grade 5, zinc plated
25	39112-3505	ROD END, tie	1	1	1	LH thread
26	39006-3503	ARM, right steering	1	1	1	
27	39112-3506	ROD END, tie	1	1	1	Female
28	92004-3502	STUD, adjusting	1	1	1	
29	92001-3517	BOLT, 5/16-24 x .75	2	2	2	Grade 8, special
30	92022-3514	WASHER, tab locking	2	2	2	Bend tab against flat on bolt head
31	11034-3524	BRACKET, upper	1	1	1	
32	92075-3504	DAMPER	1	1	1	Use silicone grease in ID
33	119BA1040	BOLT, 5/16-24 x 2.50	2	2	2	Grade 5, zinc plated


1
2
3
3
4
4
5
6
7
7
7
7
8
8
8
9
9
9
9
9
9
9
9
9
9
10
10
11
12
13
14
15
15
15
16
16
16
17
18
19
20
21
21
21
21
21
21
22
23
24
25
26
27
28
29
29
29
30
31
32
32
33
34
35
36
36
37
38
39
40
41
42

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	56040-3501	LABEL, warning	1	1	1	
2	39056-3501	GUARD, converter	1	1	1	
3	39092-3502	PIN, converter guard	2	2	2	Hair pin
4	92039-3526	RIVET, 3/16"	4	4	4	
5	14025-3501	COVER, fuel tube	1	1	1	
6	39169-3502	MOUNT, fuel pump	2	2	2	
7	412EA0600	WASHER, plain, #10	16	16	16	Steel, zinc plated
8	350BA0600	NUT, insert, 10-32	8	8	8	Grade 5, zinc plated
9	412EA0800	WASHER, plain, 1/4"	17	17	17	Steel, zinc plated
10	351BA0800	NUT, insert, 1/4-20	3	3	3	Grade 5, zinc plated
11	13070-3508	GUIDE, hood	2	2	2	Rear
12	39145-3506	TRIM-SEAL, hood guide	2	2	2	Rear
13	13070-3510	GUIDE, LH	1	1	1	Pan bumper trim
	13070-3509	GUIDE, RH	1	1	1	Pan bumper trim
14	56027-3502	PATTERN, guide	2	2	2	
15	92022-3524	WASHER, special	8	8	8	Black chrome
16	92009-3527	SCREW, special	8	8	8	Rear guide to pan
17	250DH0812	SCREW, 1/4-20 x .75	2	2	2	Grade 60M, black chrome
18	412EH0800	WASHER, plain, 1/4"	2	2	2	Steel, black chrome
19	28001-3501	REFLECTOR ASSY, amber	2	2	2	
20	35009-3502	BRACE, LH	1	1	1	
	35009-3501	BRACE, RH	1	1	1	
21	350BA0800	NUT, insert, 1/4-28	15	15	15	Grade 5, zinc plated
22	39145-3507	TRIM-SEAL, hood guide	2	2	2	Front
23	13070-3507	GUIDE, hood	2	2	2	Front
24	92066-3503	PLUG, converter bolt	1	1	1	Rubber
25	92037-3505	CLAMP, bumper trim LH	1	1	1	
	92037-3504	CLAMP, bumper trim RH	1	1	1	
26	53044-3501	TRIM, front bumper	1	1	1	Rubber insert
27	92009-3506	SCREW, special	4	4	4	Bumper to hood guide
28	39027-3501	BUMPER, front	1	1	1	
29	92009-3513	SCREW, special	5	5	5	Bumper to pan
30	535XX0606	RIVET, 3/16"	4	4	4	Tool case to pan
31	53009-3506	HINGE, hood LH	1	1	1	
32	92009-3516	SCREW, special	4	4	4	Bumper to hinge
33	53009-3510	HINGE, hood RH	1	1	1	
34	32098-3501	CASE, tool	1	1	1	
35	118AA0820	BOLT, 1/4-20 x 1.25	1	1	1	Grade 2, zinc plated
36	413EA0800	WASHER, plain, 1/4"	2	2	2	Steel, zinc plated
37	39086-3501	PAD, tool case	1	1	1	
38	14025-3503	COVER, tool case	1	1	1	
39	55020-3501	GUARD, tool case cover	1	1	1	



1
2
3
3
4
4
5
6
7
7
7
7
8
8
8
9
9
9
9
9
9
9
9
9
9
10
10
11
12
13
14
15
15
15
16
16
16
17
18
19
20
21
21
21
21
21
21
21
22
23
24
25
26
27
28
29
29
29
30
31
32
32
33
34
35
36
36
37
38
39
40
41
42

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
40	92072-3504	BAND, tool case	1	1	1	
41	27012-3502	HOOK, band	1	1	1	
42	92039-3533	RIVET, guard	4	4	4	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
15
16
17
18
19
20
21
21
22
23
24
25
26
27
28
29

13. CHASSIS 2/3


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	39047-3501	FLAP, snow	1	1	1	
2	13169-3504	PLATE, snow flap	1	1	1	
3	92026-3503	SPACER, snow flap	2	2	2	
4	92022-3533	WASHER, plain, 1/4"	2	2	2	Special
5	92015-3506	NUT, 1/4-20	2	2	2	Nylon cap
6	535XX0608	RIVET, 3/16"	5	5	5	
7	53044-3502	TRIM, rear bumper	1	1	1	Rubber insert
8	35011-3502	STAY, LH rear	1	1	1	
9	92037-3505	CLAMP, bumper trim LH	1	1	1	
10	92015-3507	NUT, 5/16-24	4	4	4	Nylon cap
11	92022-3505	WASHER, special cupped	4	4	4	
12	92026-3502	SPACER, handle grip	4	4	4	
13	39053-3501	GRIP, passenger handle	2	2	2	
14	56027-3504	PATTERN, chassis stripe	2	2	2	
15	92039-3503	RIVET, 3/16"	6	6	6	
16	39028-3502	BUMPER, rear	1	1	1	
17	28001-3502	REFLECTOR ASSY, red	2	2	2	
18	413EB1000	WASHER, plain, 5/16"	4	4	4	Steel, cadmium plated
19	119BA1016	BOLT, 5/16-24 x 1.00	4	4	4	Grade 5, zinc plated
20	118AA0824	BOLT, 1/4-20 x 1.50	2	2	2	Grade 2, zinc plated
21	412EB0800	WASHER, plain, 1/4"	4	4	4	Steel, cadmium plated
22	350BA0800	NUT, insert, 1/4-28	2	2	2	Grade 5, zinc plated
23	412EB1200	WASHER, plain, 3/8"	2	2	2	Steel, cadmium plated
24	92001-3509	BOLT, special	2	2	2	Stay to tunnel
25	92037-3504	CLAMP, bumper trim RH	1	1	1	
26	35011-3501	STAY, RH rear	1	1	1	
27	11034-3512	BRACKET, taillight mount	2	2	2	
28	92039-3526	RIVET, 3/16"	4	4	4	
29	92026-3526	SPACER, seat			1	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

14. CHASSIS 3/3

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	32002-3502	FRAME ASSY, front bulkhead	1	1	1	
2	534YY0602	RIVET, 3/16 x .32	54	54	54	Stainless steel
3	39048-3501	FOOTREST, RH	1	1	1	
4	534YY0604	RIVET, 3/16 x .45	28	28	28	Stainless steel
5	39084-3503	MOUNT ASSY, upper steering	1	1	1	
6	534XX0606	RIVET, 3/16 x .57	4	4	4	Aluminum, small head
7	39048-3502	FOOTREST, LH	1	1	1	
8	39151-3507	TUNNEL ASSY	1	1		
	39151-3508	TUNNEL ASSY			1	
9	534YY0604	• RIVET 3/16 x .45	26	26	26	Stainless steel
10	39149-3505	• TUNNEL	1	1		
	39149-3506	• TUNNEL			1	
11	39026-3501	• BULKHEAD, rear	1	1		Snow flap
	39026-3502	• BULKHEAD, rear			1	Snow flap
12	534YY0602	• RIVET, 3/16 x .32	44	44	44	Stainless steel
13	35034-3510	• REINFORCE, rear tunnel brace	1	1	1	
14	39019-3504	• BRACKET, rear suspension RH	1	1	1	
15	11034-3550	• BRACKET, front RH	1	1	1	
16	35034-3505	• REINFORCE, front tunnel brace	1	1	1	
17	39019-3505	• BRACKET, rear suspension LH	1	1	1	
18	11034-3551	• BRACKET, front LH	1	1	1	
19	39016-3505	• BRACKET, suspension spring	2	2	2	
20	534YW0602	• RIVET, 3/16 x .32	10	10	13	Steel, zinc plated
21	535XX0606	RIVET, 3/16 x .57	20	20	20	Aluminum, large head
22	39088-3503	PAN ASSY, lower	1	1	1	
23	412EA0600	WASHER, plain, #10	4	4	4	Steel, zinc plated


15. HOOD (SS340-A2, SS440-A2)



15. HOOD (SS340-A2, SS440-A2)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	56027-3518	PATTERN, windshield RH	1	1		Black stripe
2	39154-3505	WINDSHIELD, low	1	1		
	39154-3504	WINDSHIELD, high	opt	opt		
3	92055-3503	O-RING, windshield	10	10		
4	56027-3517	PATTERN, windshield front	1	1		Black stripe
5	56027-3519	PATTERN, windshield LH	1	1		Black stripe
6	56018-3507	MARK, Kawasaki	2	2		
7	56027-3528	PATTERN, lower LH side	1	1		Black with red, blue and celery stripes
	56027-3527	PATTERN, lower RH side	1	1		Black with red, blue and celery stripes
8	39156-3516	PAD, top	1	1		
9	56040-3503	LABEL, warning	1	1		
10	59456-3503	HOOD, plain	1	1		
11	56030-3501	LABEL, endurance record		1		
12	250DH0816	SCREW, 1/4-20 x 1.00	4	4		Grade 60M, black chrome
13	39156-3517	PAD, left	1	1		
14	92072-3508	BAND, hood hold down	2	2		
15	13169-3511	PLATE, band mounting	2	2		
16	351BA0800	NUT, insert, 1/4-20	10	10		Grade 5, zinc plated
17	27012-3501	HOOK, hold down band	2	2		
18	39156-3518	PAD, right	1	1		
19	39073-3502	LANYARD, hood	1	1		
20	535XX0606	RIVET, 3/16"	1	1		
21	412EA0600	WASHER, back up	1	1		Hood lanyard
22	92043-3503	PIN, hood hinge	2	2		
23	412EA0800	WASHER, plain, 1/4"	6	6		Steel, zinc plated
24	92037-3511	CLAMP, headlight harness	2	2		
25	53009-3513	HINGE, hood	2	2		
26	92033-3502	RING, snap	2	2		E-ring
27	250DH814	SCREW, 1/4-20 x .75	6	6		Grade 60M, black chrome
28	56027-3524	PATTERN, lower center	1	1		Red, blue and celery stripes
29	56027-3525	PATTERN, LH & RH center	2	2		Red, blue and celery stripes
30	92009-3534	SCREW, special, 10-24	8	8		Lock patch
31	92022-3519	WASHER, cupped	4	4		
32	11034-3549	BRACKET, hinge	1	1		
33	92043-3507	PIN, pivot	1	1		
34	56027-3526	PATTERN, top center	1	1		Red, blue and celery stripes
35	13091-3503	HOLDER, headlamp housing	1	1		
36	92071-3504	GROMMET	2	2		
37	92033-3508	RING, snap	1	1		E-ring
38	11009-3504	GASKET	2	2		
39	14020-3512	RETAINER	1	1		Close latch adjuster
40	92043-3509	PIN, latch	1	1		

15. HOOD (SS340-A2, SS440-A2) (CONTINUED)




15. HOOD (SS340-A2, SS440-A2) (CONTINUED)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
41	92033-3506	RING, snap	1	1		E-ring
42	49031-3503	LATCH, close	1	1		
43	92081-3520	SPRING, close torsion	1	1		
44	412EA0600	WASHER, plain, #10	12	12		Steel, zinc plated
45	13227-3507	HOUSING, headlamp	1	1		
46	534WV0606	RIVET, 3/16"	4	4		
47	92081-3533	SPRING, latch	2	2		
48	49031-3502	LATCH, open	2	2		
49	14025-3506	COVER, latch	2	2		
50	13227-3502	HOUSING, latch	2	2		
51	534VV0606	RIVET, 3/16"	8	8		
52	92028-3505	BUSHING, nylon	2	2		
53	92081-3532	SPRING, open torsion	1	1		
54	39090-3502	PANEL, radiator vent	1	1		
55	14020-3511	RETAINER, panel	1	1		Short tab
56	14020-3507	RETAINER, panel	2	2		Long tab
57	56018-3503	MARK, 440 Invader		1		
	56018-3504	MARK, 340 Invader	1			
*	50275-3501	PAINT, metallic blue	AR	AR		
*	50275-3502	PAINT, black	AR	AR		
*	50275-3503	PAINT, clear coat	AR	AR		

**Not Shown.*


16. HOOD (ST440-A2)



16. HOOD (ST440-A2)


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	56027-3518	PATTERN, windshield RH			1	Black stripe
2	39154-3507	WINDSHIELD			1	
3	56027-3519	PATTERN, windshield LH			1	Black stripe
4	56027-3531	PATTERN, windshield front			1	Black stripe
5	92055-3503	O-RING, windshield			8	
6	56040-3503	LABEL, warning			1	
7	59456-3504	HOOD, plain			1	
8	250DH0816	SCREW, 1/4-20 x 1.00			4	Grade 60M, black chrome
9	56027-3521	PATTERN, RH side			1	Kawasaki, red, blue & celery stripes
	56027-3520	PATTERN, LH side			1	Kawasaki, red, blue & celery stripes
10	92072-3508	BAND, hood hold down			2	
11	351BA0800	NUT, insert, 1/4-20			9	Grade 5, zinc plated
12	13169-3511	PLATE, band mounting			2	
13	27012-3501	HOOK, hold down band			2	
14	39156-3519	PAD, top RH			1	
15	39156-3520	PAD, top center			1	
16	39156-3517	PAD, left side			1	
17	39156-3518	PAD, right side			1	
18	535XX0606	RIVET, 3/16"			1	Hood lanyard
19	39073-3503	LANYARD, hood			1	
20	412EA0600	WASHER, back up			1	Steel, zinc plated
21	92043-3503	PIN, hood hinge			2	
22	412EA0800	WASHER, plain, 1/4"			5	Steel, zinc plated
23	92081-3529	SPRING, lanyard			1	LH hinge, rear hole
24	92037-3511	CLAMP, headlight harness			2	
25	53009-3513	HINGE, hood			2	
26	92033-3502	RING, snap			2	E-ring
27	92015-3520	NUT, special			1	Rh hinge, rear hole
28	250DH0810	SCREW, 1/4-20 x .62			1	Grade 60M, black chrome
29	250DH0814	SCREW, 1/4-20 x .87			5	Grade 60M, black chrome
30	56027-3525	PATTERN, LH & RH center			2	Red, blue & celery stripes
31	56027-3524	PATTERN, lower center			1	Red, blue & celery stripes
32	56027-3526	PATTERN, top center			1	Red, blue & celery stripes
33	56018-3508	MARK, 440 Intruder			1	
34	39090-3501	PANEL, vent			1	
35	14020-3507	RETAINER, panel			4	
36	56027-3532	PATTERN, vent panel			1	Black
*	50275-3501	PAINT, metalic blue			AR	

**Not shown*


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


17. SEAT & CONSOLE

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	53001-3503	SEAT ASSY	1	1	1	Less storage case cover
2	49031-3505	• LATCH, storage case	2	2	2	Bungee Cord
3	39012-3501	• CASE, storage	1	1	1	
4	92037-3512	• CLAMP, latch	2	2	2	
5	412EB0700	• WASHER, #12	2	2	2	Steel, cadmium plated
6	412EB0500	• WASHER, back up, #8	11	11	11	Steel, cadmium plated
7	53002-3502	• SEAT	1	1	1	
8	92039-3520	• RIVET, 3/16"	11	11	11	
9	53007-3503	• FRAME ASSY	1	1	1	Includes special mounting nuts
10	11009-3503	GASKET, door	1	1	1	
11	14025-3502	COVER, storage	1	1	1	
12	92043-3506	PIN	2	2	2	
13	92033-3507	RING, snap	2	2	2	
14	53009-3501	HINGE, cover	2	2	2	
15	412EB0800	WASHER, plain, 1/4"	4	4	4	Steel, cadmium plated
16	118BA0814	BOLT, 1/4-20 x .88	4	4	4	Grade 5, zinc plated
17	92039-3503	RIVET, hinge, 3/16"	6	6	6	
18	250DH0812	SCREW, 1/4-20 x .75	12	12	12	Grade 60M, black chrome
19	59225-3503	PANEL, key switch	1	1		
20	11034-3526	BRACKET, panel	1	1	1	
21	14020-3504	RETAINER	12	12	12	Tinnerman
22	59225-3509	PANEL, instrument	1	1		
	59225-3508	PANEL, instrument			1	
23	119BA0810	BOLT, 1/4-28 x .62	3	3	3	Grade 5, zinc plated
24	11034-3541	BRACKET, instrument panel	1	1	1	
25	350BA0800	NUT, insert, 1/4-28	3	3	3	Grade 5, zinc plated
26	59225-3502	PANEL, fuel gauge	1	1	1	Left side
27	59225-3501	PANEL, oil gauge	1	1	1	Right side


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
A
B

18. FUEL SYSTEM


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	49043-3502	PUMP, priming	1	1	1	Mounting hardware not included
2	39156-3506	PAD, hoop, 4.50" long	2	2	2	Protects fuel tank
3	51049-3501	CAP, tank	1	1	1	
4	11009-3502	GASKET, cap	1	1	1	
5	11034-3534	BRACKET, fuel tank	1	1	1	
6	534YW0602	RIVET, 3/16"	4	4	4	
7	39156-3507	PAD, bracket	1	1	1	Protects fuel tank
8	51004-3502	TANK, fuel	1	1	1	
9	32032-3504	PIPE	1	1	1	Pick up tube
10	39156-3505	PAD, hoop, 1.00" long	2	2	2	Protects fuel tank
11	39156-3503	PAD, fuel tank	1	1	1	Protects fuel tank
12	92059-3535	TUBE, 1/4 x 27.00	1	1	1	Fuel level gauge (See note *)
13	92005-3511	FITTING, lower	1	1	1	90° Fuel level tube
14	92005-3502	FITTING, upper	1	1	1	Fuel level tube
15	56040-3502	LABEL, warning	1	1	1	
16	59421-3507	COVER, silencer	1	1		
	59421-3506	COVER, silencer			1	
17	32032-3514	PIPE, elbow	1	1	1	90°
18	14073-3501	DUCT, intake	1	1		
	14073-3510	DUCT, intake			1	
19	92022-3522	WASHER	2	2		
20	92039-3534	RIVET, 3/16"	2	2		
21	11009-3512	GASKET, cover to housing	1	1	1	LH section
22	18020-3506	BAFFLE, pipe mounting	1	1	1	
23	32032-3515	PIPE, plastic	2	2	2	
24	18020-3502	BAFFLE, perforated	1	1	1	
25	92022-3531	WASHER, back up	15	15	15	Cover and spring plate rivets
26	92039-3537	RIVET, 5/32"	7	7	7	Baffle to silencer housing
27	13227-3509	HOUSING, silencer	1	1	1	
28	13169-3508	PLATE, spring	4	4	4	
29	92039-3532	RIVET, special, 5/32"	4	4	4	
30	92081-3517	SPRING, 4.50" long	2	2	2	Upper plate
31	92081-3518	SPRING, 3.00" long	2	2	2	Lower plate
32	92093-3502	SEAL, silencer, 32mm carb	2			
	92093-3501	SEAL, silencer, 36mm carb		2		
	92093-3504	SEAL, silencer, 32mm carb			2	
33	41077-3506	ADAPTER, carb to seal			2	
	41077-3507	ADAPTER, carb to seal		2		
34	92072-3507	BAND, cable tie	1	1	1	Pipes to baffle
35	11009-3511	GASKET, cover to housing	1	1	1	RH section
36	534XX0508	RIVET, 5/32"	11	11	11	Cover to silencer housing


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
A
B

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
37	49040-3504	PUMP ASSY, fuel	1	1	1	
38	11009-3506	• GASKET	1	1	1	
39	43028-3501	• DIAPHRAGM	1	1	1	
40	16126-3501	• VALVE	2	2	2	
41	92071-3505	• GROMMET	2	2	2	
42	11009-3507	• GASKET	1	1	1	
43	43028-3502	• DIAPHRAGM ASSY	1	1	1	
44	49019-3501	• FILTER	1	1	1	
45	92081-3525	• SPRING	1	1	1	
46	92009-3521	• SCREW	2	2	2	
47	92009-3522	• SCREW	6	6	6	
48	92059-3525	TUBE, 7/32 x 22.0	1	1	1	Outlet (See note †)
49	350BA0800	NUT, insert 1/4-28	2	2	2	Grade 5, zinc plated
50	92059-3527	TUBE, 7/32 x 12.50	1	1	1	Pulse (See note †)
51	92059-3526	TUBE, 7/32 x 18.00	1	1	1	Outlet (See note †)
52	92059-3530	TUBE, 3/32 x 4.00	2	2	2	T to carb (See note ♦)
53	92005-3507	FITTING, T	1	1	1	Primer to carb
54	92059-3523	TUBE, 7/32 x 3.50	1	1	1	Tank to T (See note †)
55	92005-3506	FITTING, T	1	1	1	Fuel tank to fuel pump
56	92059-3524	TUBE, 7/32 x 1.25	1	1	1	T to fuel pump (See note †)
57	92005-3510	FITTING, lower	1	1	1	90^0 pick-up tube
58	39156-3504	PAD, fuel tank	1	1	1	Protects fuel tank
59	92059-3522	TUBE, 7/32 x 12.00	1	1	1	Pick up (See note †)
60	92005-3503	FITTING, vent	1	1	1	
61	92059-3531	TUBE, 3/32 x 15.00	1	1	1	Vent (See note ♦)
62	92059-3528	TUBE, 3/32 x 12.00	1	1	1	T to primer (See note ♦)
63	92059-3529	TUBE, 3/32 x 24.00	1	1	1	Primer to carb T (See note ♦)
64	92072-3501	BAND, cable tie	2	2	2	Vent tube
65	92015-3515	NUT, pump	1	1	1	
66	92022-3521	WASHER, internal locking	1	1	1	

NOTE: Bulk tubing is available by ordering the following part numbers:

*	92059-3521	TUBE, 1/4 in. x 100 ft.
†	92059-3520	TUBE, 7/32 in. x 100 ft.
♦	92059-3518	TUBE, 3/32 in. x 100 ft.



1
6
5
4
30
3
2
7
29
9
10
9
11
12
13
8
28
2
2
27
26
25
24
23
9
14
9
10
11
15
22
21
20
9
10
9
11
13
16
17
18
19

19. LUBRICATION SYSTEM

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92072-3502	BAND, oil tank	1	1	1	
2	92005-3505	FITTING, elbow	3	3	3	90°
3	92059-3534	TUBE, 1/4 x 1.50"	1	1	1	Tank to "T" (See note *)
4	92005-3506	FITTING, T	1	1	1	Vent
5	92059-3531	TUBE, 1/8 x 15.00"	1	1	1	Vent (See note ‡)
6	92059-3532	TUBE, 1/4 x 16.00"	1	1	1	Oil level gauge (See note *)
7	39156-3502	PAD, oil tank	1	1	1	Protects oil tank
8	92059-3533	TUBE, 7/32 x 20.00"	1	1	1	Tank to engine (See note †)
9	92065-534	GASKET, 6mm	6	6	4	
10	16087-3001	VALVE, check	3	3	2	
11	92037-3002	CLAMP, oil tube	6	6	4	
12	92059-3001	TUBE, 2 x 5.8 x 200mm	1	1	1	RH cylinder to pump
13	92062-503	NOZZLE, cylinder	2	2	2	
14	92062-3001	NOZZLE, crankcase	1	1		
15	92059-3003	TUBE, 2 x 5.8 x 160mm	1	1		Crankcase to pump
16	92059-3002	TUBE, 2 x 5.8 x 110mm	1	1	1	LH cylinder to pump
17	92038-3001	KEY, oil pump woodruff	1	1	1	
18	92055-3005	O-RING, oil pump	1	1	1	
19	49042-3005	OIL PUMP ASSY	1	1		
	49042-3004	OIL PUMP ASSY			1	
20	13169-3005	• PLATE, inlet	1	1	1	
21	92081-3007	• SPRING, control lever	1	1		
	92081-3008	• SPRING, control lever			1	
22	13168-3001	• LEVER, control	1	1		
	13168-3002	• LEVER, control			1	
23	49091-3001	WASHER, seal, 6 x 13 x 1.2mm	2	2	2	
24	410B0600	WASHER, plain, 6mm	2	2	2	
25	461F0600	WASHER, spring lock, 6mm			2	
26	110B0635	BOLT, 6 x 35mm			2	
27	150B0634	BOLT/WASHER, 6 x 34mm	2	2		
28	32032-3518	PIPE, pick up	1	1	1	
29	52001-3501	TANK, oil	1	1	1	
30	51049-3502	CAP, oil tank	1	1	1	


NOTE: Bulk tubing is available by ordering the following part numbers:

*	92059-3521	TUBE, 1/4 in. x 100 ft.
†	92059-3520	TUBE, 7/32 in. x 100 ft.
‡	92059-3519	TUBE, 1/8 in. x 100 ft.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39

20. CHASSIS COOLANT SYSTEM


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	43078-3501	RESERVOIR ASSY	1	1		
2	49085-3501	CAP, pressure	1	1		14-15 PSI
3	250DA0810	SCREW, 1/4-20 x .62	6	6		Grade 60M, zinc plated
4	92059-3509	TUBE, 1/4 x 24.00	1	1		Overflow
5	92037-3507	CLAMP, pipe	2	2		
6	92039-3526	RIVET, 3/16"	6	6		Clamp to tunnel
7	32032-3503	PIPE, coolant	2	2		
8	11009-3501	GASKET, end cap	2	2		
9	39031-3501	CAP, open end	1	1		
10	92009-3501	SCREW, special, 10-32 x 1.75	10	10		
11	92037-3503	CLAMP, hose	10	10		
12	39062-3505	HOSE, coolant	2	2		Exchanger to pipe
13	39062-3503	HOSE, coolant	1	1		Exchanger to pump
14	39156-3501	PAD, exchanger	1	1		
15	39031-3502	CAP, closed end	1	1		
16	39060-3501	EXCHANGER, heat	1	1		
17	534YW0604	RIVET, 3/16"	26	26		
18	35030-3501	BRACE ASSY	1	1		Radiator
19	412EA1000	WASHER, plain, 5/16"	2	2		Steel, zinc plated
20	92001-3513	BOLT, special, 5/16-24 x .62	2	2		
21	351BA0800	NUT, insert, 1/4-20	6	6		Grade 5, zinc plated
22	92001-3514	BOLT, special, 1/4-20 x .62	1	1		Lock patch
23	412EA0800	WASHER, plain, 1/4"	1	1		Steel, zinc plated
24	39156-3521	PAD, radiator duct	2	2		Seals duct assembly
25	39045-3501	DUCT ASSY	1	1		Radiator
26	351BA0500	NUT, insert 8-32	1	1		Grade 5, zinc plated (lanyard)
27	412EA0500	WASHER, plain, #8	1	1		Steel, zinc plated (lanyard)
28	244DA0508	SCREW, 8-32 x .50	1	1		Grade 60M, zinc plated (lanyard)
29	118BA0814	BOLT, 1/4-20 x .88	2	2		Grade 5, zinc plated
30	14020-3504	RETAINER	2	2		Tinnerman
31	92071-3503	GROMMET, mounting	2	2		Radiator
32	92028-3501	BUSHING, grommet	2	2		
33	39156-3502	PAD, mounting	1	1		
34	39062-3504	HOSE, coolant	1	1		Radiator to engine
35	39062-3501	HOSE, coolant	1	1		Exchanger to radiator
36	92022-3516	WASHER, special	2	2		Grommet
37	39060-3503	EXCHANGER, heat	1	1		Radiator
38	92037-3502	CLAMP, hose	2	2		Reservoir end
39	39062-3502	HOSE, coolant	1	1		Radiator to reservoir


1
2
6
5
11
10
12
7
4
3
8
13
14
9
9
15
10
20
16
17
18
19
19
21
21
22
23
24

21. CABLES

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	39030-3501	CABLE ASSY, enrichener	1	1	1	
2	92015-3508	• NUT, enrichener mounting	1	1	1	
3	92009-3529	• SCREW, special	1	1	1	
4	14025-3507	• COVER, enrichener	1	1	1	
5	13236-3501	• LEVER ASSY, enrichener	1	1	1	
6	13227-3510	• HOUSING, enrichener	1	1	1	
7	39030-3503	• CABLE, RH carb enrichener	1	1	1	
8	39030-3502	• CABLE, LH carb enrichener	1	1	1	
9	92015-3512	• NUT, special jam	2	2	2	
10	92033-3502	RING, snap	2	2	2	Throttle & brake
11	54012-3521	CABLE ASSY, throttle, 32mm	1			
	54012-3523	CABLE ASSY, throttle, 36mm		1		
	54012-3522	CABLE ASSY, throttle, 32mm			1	
12	54012-3512	• CABLE, upper throttle	1	1	1	Throttle lever end
13	13227-3505	• HOUSING, upper cable	1	1	1	Throttle lever end
14	13159-3502	• CONNECTOR, 1/3 cable	1	1	1	
15	13227-3506	• HOUSING, lower cable	1	1	1	
16	54012-3517	• CABLE, RH carb throttle	1		1	
	54012-3519	• CABLE, RH carb throttle		1		
17	54012-3518	• CABLE, LH carb throttle	1		1	
	54012-3520	• CABLE, LH carb throttle		1		
18	54012-3508	• CABLE, oil pump	1	1		Includes jam nuts
	54012-3513	• CABLE, oil pump			1	Includes jam nuts
19	92015-3512	• NUT, special jam	2	2	2	
20	54005-3501	CABLE ASSY, brake	1	1	1	
21	344BA1000	• NUT, jam, 5/16-24	2	2	2	Brake
22	54001-3502	CABLE ASSY, speedometer	1	1	1	
23	92071-3502	GROMMET, speedometer cable	1	1	1	
24	92072-3501	BAND, cable tie	2	2	2	Brake to enrichener cables


22. CARBURETOR (SS340-A2)



22. CARBURETOR (SS340-A2)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	16001-3517	CARBURETOR ASSY, 32mm	2			Marked 32/139
2	16012-3501	• CAP, enrichener plunger	2			
3	92022-3526	• WASHER, enrichener cap	2			
4	16013-003	• SPRING, enrichener plunger	2			
5	16016-002	• PLUNGER, enrichener	2			
6	16032-008	• PIN, float	2			
7	92064-018	• PILOT JET, #25	2			
	92064-021	PILOT JET, #20	opt			Leaner
	92064-049	PILOT JET, #15	opt			Leaner
8	16034-001	• WASHER, main jet	2			
9	92063-3508	• MAIN JET, #175	2			Long hex-Amal
	92063-013	MAIN JET, #120	opt			Long hex-Amal
	92063-014	MAIN JET, #130	opt			Long hex-Amal
	92063-015	MAIN JET, #140	opt			Long hex-Amal
	92063-016	MAIN JET, #150	opt			Long hex-Amal
	92063-017	MAIN JET, #160	opt			Long hex-Amal
	92063-019	MAIN JET, #170	opt			Long hex-Amal
	92063-020	MAIN JET, #180	opt			Long hex-Amal
10	14020-3508	• RETAINER, float	4			
11	16031-3501	• FLOAT	4			
12	16020-3502	• CHAMBER, float	2			
13	16049-006	• COVER, main jet	2			
14	16038-009	• GASKET, cover	2			
15	16033-009	• SCREW, special	8			Includes washer
16	16055-3501	• ARM, float	2			
17	16030-3502	• FLOAT VALVE ASSY, 1.5	2			
18	16029-004	• GASKET, float valve	2			
19	11009-3508	• GASKET, float chamber	2			
20	92009-3523	• SCREW, cap retainer	2			
21	14020-3510	• RETAINER, cap	2			
22	16022-007	• SPRING, air screw	2			
23	16014-006	• SCREW, pilot air	2			
24	16021-1005	• SCREW, throttle stop	2			
25	16022-005	• SPRING, throttle screw	2			
26	92005-3509	• FITTING, primer tube	2			
27	16017-3502	• NEEDLE JET, P-4	2			
28	16025-3502	• VALVE, throttle, CA 3.0	2			
29	16009-3502	• NEEDLE, carb jet, 6DH4-2	2			Clip in 2nd groove
30	16008-010	• CLIP, carburetor needle	2			
31	16007-022	• SEAT, spring	2			
32	92081-3527	• SPRING, throttle valve	2			
33	16004-023	• CAP, mixing chamber	2			Includes gasket


23. CARBURETOR (SS440-A2, ST440-A2)



23. CARBURETOR (SS440-A2, ST440-A2)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	16001-3518	CARBURETOR ASSY, 36mm		2		Marked 36/72
	16001-3520	CARBURETOR ASSY, LH, 32mm			1	Marked L32/141
	16001-3519	CARBURETOR ASSY, RH, 32mm			1	Marked R32/140
2	16012-3501	• CAP, enrichener plunger		2	2	
3	92022-3525	• WASHER, cap, 36mm		2		
	92022-3529	• WASHER, cap, 32mm			2	
4	16013-003	• SPRING, enrichener plunger		2	2	
5	16016-002	• PLUNGER, enrichener		2	2	
6	16022-007	• SPRING, air screw		2	2	
7	16014-006	• SCREW, pilot air		2	2	
8	16032-008	• PIN, float		2	2	
9	16019-028	• GASKET, float chamber, 36mm		2		
	11009-3509	• GASKET, float chamber, 32mm			2	
10	92064-022	• PILOT JET, #30		2	opt	
	92064-018	• PILOT JET, #25		opt	2	
	92064-021	PILOT JET, #20		opt	opt	Leaner
	92064-049	PILOT JET, #15		opt	opt	Leaner
11	16038-019	• BAFFLE, 36mm		2		
	18020-3505	• BAFFLE, 32mm			2	
12	16034-001	• WASHER, holder		2	2	
13	16065-008	• HOLDER, carb needle		2	2	
14	92055-044	• O-RING, holder		2	2	
15	16055-009	• ARM, float, 36mm		2		
	16055-004	• ARM, float, 32mm			2	
16	14020-3508	• RETAINER, float		4	4	
17	16031-029	• FLOAT, 36mm		4		
	16031-021	• FLOAT, 32mm			4	
18	92063-016	• MAIN JET, #150		2	opt	Long hex-Amal
	92063-015	• MAIN JET, #140		opt	2	Long hex-Amal
	92063-062	MAIN JET, #90		opt	opt	Long hex-Amal
	92063-011	MAIN JET, #100		opt	opt	Long hex-Amal
	92063-012	MAIN JET, #110		opt	opt	Long hex-Amal
	92063-013	MAIN JET, #120		opt	opt	Long hex-Amal
	92063-014	MAIN JET, #130		opt	opt	Long hex-Amal
	92063-017	MAIN JET, #160		opt	opt	Long hex-Amal
	92063-019	MAIN JET, #170		opt	opt	Long hex-Amal
	92063-020	MAIN JET, #180		opt	opt	Long hex-Amal
	92063-021	MAIN JET, #190		opt	opt	Long hex-Amal
19	16020-3501	• CHAMBER, float, 36mm		2		
	16020-3503	• CHAMBER, float, 32mm			2	
20	16033-013	• SCREW, special		8	8	Includes washer
21	92037-078	• CLAMP, econo jet tube		4	4	


23. CARBURETOR (SS440-A2, ST440-A2) (CONTINUED)



23. CARBURETOR (SS440-A2, ST440-A2) (CONTINUED)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
22	14020-3509	• RETAINER, tube		6	6	
23	92059-3515	• TUBE, 3.5 x 98		2	2	Econo jet
24	16159-3503	• ECONO JET, #120		2		Round - reverse jet
	16159-3503	• ECONO JET, RH carb, #120			1	Round - reverse jet
	16159-3505	• ECONO JET, LH carb, #130		opt	1	Round - reverse jet
	16159-3517	ECONO JET, #80		opt	opt	Round - reverse jet
	16159-3516	ECONO JET, #85		opt	opt	Round - reverse jet
	16159-3515	ECONO JET, #90		opt	opt	Round - reverse jet
	16159-3514	ECONO JET, #95		opt	opt	Round - reverse jet
	16159-3513	ECONO-JET, #100		opt	opt	Round - reverse jet
	16159-3512	ECONO JET, #105		opt	opt	Round - reverse jet
	16159-3501	ECONO JET, #110		opt	opt	Round - reverse jet
	16159-3502	ECONO JET, #115		opt	opt	Round - reverse jet
	16159-3404	ECONO JET, #125		opt	opt	Round - reverse jet
	16159-3506	ECONO JET, #135		opt	opt	Round - reverse jet
	16159-3507	ECONO JET, #140		opt	opt	Round - reverse jet
25	16030-3503	• FLOAT VALVE ASSY, 1.2		2	2	
26	11009-3510	• GASKET, float valve		4	4	
27	92059-3516	• TUBE, 3.5 x 240		4	4	Air vent
28	16022-005	• SPRING, throttle screw		2	2	
29	16021-1005	• SCREW, throttle stop, 36mm		2		
	16021-3501	• SCREW, throttle stop, 32mm			2	
30	92005-3509	• FITTING, primer tube		2	2	
31	16008-010	• CLIP, carburetor needle		2	2	
32	16017-3501	• NEEDLE JET, P-6		2		
	16017-044	• NEEDLE JET, Q-0			2	
33	16025-3501	• VALVE, 36mm, CA2.5		2		
	16025-3503	• VALVE, 32mm, CA2.5			2	
34	16009-3501	• NEEDLE, 6DH7-3		2	2	Clip in 3rd groove
35	16007-015	• SEAT, spring, 36mm		2		
	16007-022	• SEAT, spring, 32mm			2	
36	92081-3527	• SPRING, throttle valve, 36mm		2		
	92081-3526	• SPRING, throttle valve, 32mm			2	
37	16004-026	• CAP, mixing chamber, 36mm		2		Includes gasket
	16004-022	• CAP, mixing chamber, 32mm			2	Includes gasket


24. CYLINDER HEAD & CYLINDER (SS340-A2, SS440-A2)



24. CYLINDER HEAD & CYLINDER (SS340-A2, SS440-A2)


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92015-3003	NUT, cap, 8mm	16	16		
2	172H0842	STUD, 8 x 42mm	6	6		
3	461F0800	WASHER, spring, 8mm	16	16		
4	92022-503	WASHER, plain, 8.5 x 21 x 4	16	16		
5	172H0828	STUD, 8 x 28mm	2	2		
6	11001-3010	HEAD, cylinder		2		
	11001-3011	HEAD, cylinder	2			
7	11004-3005	GASKET, head		2		
	11004-3006	GASKET, head	2			
8	11005-3007	CYLINDER		2		
	11005-3011	CYLINDER	2			
9	11009-507	GASKET, cylinder base	2	2		
10	16062-506	GASKET, inlet	2	2		
11	16061-513	INSULATOR		2		
	16073-3001	INSULATOR	2			
12	16065-3007	HOLDER, carburetor		2		
	16065-3008	HOLDER, carburetor	2			
13	92022-3007	WASHER, silencer spring	2	2		
14	114B0835	BOLT, 8 x 35mm	4			
	114B0845	BOLT, 8 x 45mm		4		
15	410B0800	WASHER, plain, 8mm	2	2		
16	11009-3012	GASKET, exhaust	2	2		
17	461S0800	WASHER, spring, 8mm	4	4		
18	92004-3004	STUD, 8 x 20mm	4	4		Apply silicone sealer to seal threads
19	311R0800	NUT, 8mm	4	4		

25. CYLINDER HEAD & CYLINDER (ST440-A2)




25. CYLINDER HEAD & CYLINDER (ST440-A2)

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92015-501	NUT, long, 8mm			2	
2	461F0800	WASHER, spring, 8mm			8	
3	92022-503	WASHER, plain, 8.5 x 21 x 4			8	
4	311G0800	NUT, 8mm			6	
5	11001-3001	HEAD, cylinder			2	
6	11004-513	GASKET, head			2	
7	11005-3009	CYLINDER			2	
8	410B0800	WASHER, plain, 8mm			2	
9	114B0825	BOLT, 8 x 25mm			4	
10	92022-3007	WASHER, silencer spring			2	
11	16065-3008	HOLDER, carburetor			2	
12	11009-3009	GASKET, intake			2	
13	11009-507	GASKET, cylinder base			2	
14	11009-3013	GASKET, exhaust			4	Both sides of shroud
15	172G0820	STUD, 8 x 20mm			4	
16	461S0800	WASHER, spring, 8mm			4	
17	311R0800	NUT, 8mm			4	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
18
19
A
A
23
LIQUID GASKET


26. CRANKCASE

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	92004-3002	STUD, crankcase, 8 x 148.3mm	8	8		
	92004-3005	STUD, crankcase, 8 x 148mm			8	
2	14001-3013	CRANKCASE SET ASSY	1	1		
	14001-3014	CRANKCASE SET ASSY			1	
3	32032-3001	• PIPE, pulse	1	1	1	
4	551A0816	• PIN, dowel, 8 x 16mm	2	2	2	
5	92001-3004	BOLT, oil filler, 8 x 14mm	1	1	1	
6	11009-3008	GASKET, oil filler, 8mm	1	1	1	
7	410B0600	WASHER, plain, 6mm	2	2	2	
8	461F0600	WASHER, spring, 6mm	2	2	2	
9	110B0640	BOLT, 6 x 40mm	2	2	2	
10	14031-3003	COVER, magneto	1	1		
11	110G0863	BOLT, 8 x 63mm	8	8	8	
12	461F0800	WASHER, spring, 8mm	8	8	8	
13	410B0800	WASHER, plain, 8mm	8	8	8	
14	110B0610	BOLT, 6 x 10mm	1	1	1	
15	92065-534	GASKET, 6mm	1	1	1	
16	52005-3001	GAUGE, oil	1	1	1	
17	110B0812	BOLT, 8 x 12mm			2	
18	461F0800	WASHER, spring, 8mm	4	4	2	
19	410B0800	WASHER, plain, 8mm	4	4	2	
20	59036-517	COVER, hole			1	
21	311B0800	NUT, 8mm	4	4		
22	172G0825	STUD, 8 x 25mm	4	4		
23	92104-002	SEALER, liquid gasket	AR	AR	AR	100g tube


1
1
2
2
18
20
19
18
4
3
5
14
15
16
6
7
8
13
9
10
11
12
17

27. PISTON & CRANKSHAFT


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	13008-3001	RING SET, piston		2	2	Top & bottom
	13008-3002	RING SET, piston	2			Top & bottom
2	13001-3001	PISTON		2	2	
	13001-3002	PISTON	2			
3	13031-3009	CRANKSHAFT ASSY	1	1		
	13031-3008	CRANKSHAFT ASSY			1	
4	49035-3001	• PIN, spring	1	1	1	
5	92055-3002	• O-RING, crankshaft	2	2	2	
6	92050-507	• SEAL, RH crank oil	1	1	1	TCY06210
7	92045-3002	• BEARING, ball	1	1	1	6206-9RT-C4
8	92025-532	• SHIM, RH crank, 35 x 42 x 1mm	1	1	1	
9	92025-539	• SHIM, LH crank, 40 x 47 x 1mm	1	1	1	
10	92045-507	• BEARING, ball	1	1	1	6207-9C4
11	92049-3003	• SEAL, LH crank oil	1	1	1	Y427210
12	92027-3002	• COLLAR, LH crank	1	1	1	
13	59051-3001	• GEAR, 26 tooth drive	1	1	1	
14	510A5200	KEY, woodruff	1	1	1	
15	315B1800A	NUT, 18mm	1	1	1	
16	92022-3019	WASHER, claw, 18mm	1	1	1	
17	92025-3001	SHIM, 0.7mm	AR	AR	AR	
	92025-3002	SHIM, 0.8mm	AR	AR	AR	
	92025-3003	SHIM, 0.9mm	AR	AR	AR	
	92025-3004	SHIM, 1.0mm	AR	AR	AR	
	92025-3005	SHIM, 1.2mm	AR	AR	AR	
18	92036-507	CIRCLIP	4	4	4	
19	13002-504	PIN, piston		2	2	
	13002-505	PIN, piston	2			
20	13033-3001	BEARING, piston pin	2	2	2	


1
2
18
2
15
16
17
3
4
6
5
14
13
12
7
11
8
9
10

28. ENGINE GEAR CASE


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	59051-3002	GEAR, 27 tooth idler	1	1	1	
2	92026-3005	SPACER, idler gear	2	2	2	1.0mm thick
3	92025-3007	SHIM, gear case, 0.2mm	AR	AR	AR	
	92025-3008	SHIM, gear case, 0.6mm	AR	AR	AR	
	92025-3009	SHIM, gear case, 1.0mm	AR	AR	AR	
	92025-3010	SHIM, gear case, 1.4mm	AR	AR	AR	
4	92045-507	BEARING, ball	1	1	1	6207-9C4
5	92055-3003	O-RING, gear case	1	1	1	
6	14055-3002	CASE, gear	1	1	1	
7	92099-001	SCREW, rivet	1	1	1	
8	411B0600	WASHER, plain, 6mm	3	3	3	
9	461F0600	WASHER, spring, 6mm	3	3	3	
10	110B0625	BOLT, 6 x 25mm	3	3	3	
11	92049-3002	SEAL, oil	1	1	1	TB 35508
12	120P0835	BOLT, 8 x 35mm	4	4	4	Socket head
13	461F0800	WASHER, spring, 8mm	4	4	4	
14	410B0800	WASHER, plain, 8mm	4	4	4	
15	312B0800	NUT, 8mm	1	1	1	
16	461F0800	WASHER, spring, 8mm	1	1	1	
17	59051-3003	GEAR, 32 tooth oil pump	1	1	1	
18	39115-3001	SHAFT, idler gear	1	1	1	

29. FAN COOLING SYSTEM (ST440-A2)



29. FAN COOLING SYSTEM (ST440-A2)


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	214B0812	SCREW, pan head, 8 x 12mm			2	
2	461F0800	WASHER, spring, 8mm			2	
3	410B0800	WASHER, plain, 8mm			2	
4	56030-3001	LABEL, Kawasaki			1	
5	92001-114	BOLT, hex head, 6 x 16mm			1	Hood lanyard to engine
6	461F0600	WASHER, spring, 6mm			10	
7	411B0600	WASHER, plain, 6mm			10	
8	49089-3010-9H	SHROUD, main upper			1	Semi gloss black
9	220B0622	SCREW, pan head, 6 x 22mm			4	
10	461F0600	WASHER, spring, 6mm			4	
11	410B0600	WASHER, plain, 6mm			4	
12	14037-3001	SCREEN, fan			1	
13	315B1400	NUT, 14mm			1	
14	461F1400	WASHER, spring, 14mm			1	
15	59091-3001	PULLEY, fan			2	
16	92025-501	SHIM, pulley, 0.6mm			AR	
17	49089-3007-9H	SHROUD, intake side			1	Semi gloss black
18	59011-3001	BELT, fan			1	
19	92045-3001	BEARING, ball			2	6204 Ru
20	92025-529	SHIM, 1.0mm thick			2	
21	92033-3001	CIRCLIP, 47mm			1	
22	49079-3002	PULLEY, fan drive			1	
23	59066-3002	HOUSING, fan			1	
24	551A0608	PIN, dowel, 6 x 8mm			2	
25	311B0800	NUT, 8mm			4	
26	461F0800	WASHER, spring, 8mm			4	
27	410B0800	WASHER, plain, 8mm			4	
28	172G0825	STUD, 8 x 25mm			4	
29	59041-3002	FAN ASSY, cooling			1	
30	510A3200	KEY, woodruff			1	
31	49089-3011-9H	SHROUD, exhaust side			1	Semi gloss black
32	220B0612	SCREW, pan head, 6 x 12mm			9	
33	92009-3533	SCREW, special			2	
34	412EA0600	WASHER, plain, #10			4	Steel, zinc plated
35	14073-3511	DUCT, engine exhaust			1	
36	350BA0600	NUT, insert, 10-32			2	Grade 5, zinc plated
37	92093-3506	SEAL, engine exhaust duct			1	


1
2
3
4
5
6
7
8
9
26
2
3
10
25
24
2
3
23
17
2
3
11
22
12
21
19
20
11
13
18
3
2
17
16
3
2
15
14

30. ENGINE COOLANT SYSTEM (SS340-A2, SS440-A2)


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	110B0630	BOLT, 6 x 30mm	3	3		
2	461F0600	WASHER, spring, 6mm	17	17		
3	410B0600	WASHER, plain, 6mm	17	17		
4	92001-3004	BOLT, 8 x 14mm	2	2		
5	11009-3008	GASKET, 8mm	2	2		
6	14025-3003	COVER, thermostat	1	1		
7	11009-3006	GASKET, thermostat cover	1	1		
8	49054-3002	THERMOSTAT	1	1		42°C (108°F)
9	49090-3002	VALVE, jiggle	1	1		TP-14
10	32032-3006	PIPE, hose to cylinder head	1	1		
11	92037-3001	CLAMP, hose	2	2		
12	39062-3001	HOSE, 25.4 x 31.4 x 120mm	1	1		
13	49044-3002	PUMP ASSY, coolant	1	1		
14	311B0600	NUT, 6mm	2	2		
15	172G0618	STUD, 6 x 16mm	2	2		
16	42034-3002	COUPLING, drive	1	1		
17	110B0622	BOLT, 6 x 22mm	4	4		
18	92055-3004	O-RING, coolant pump	1	1		
19	11009-3002	GASKET, crankcase to pipe	1	1		1.5mm thick
20	11009-3003	GASKET, pipe to cylinder	2	2		0.4mm thick
21	32032-3008	PIPE, crankcase to cylinder	1	1		
22	92055-3008	"O" RING, pipe	1	1		
23	92066-3002	PLUG, pipe	1	1		Coolant drain
24	110B0640	BOLT, 6 x 40mm	4	4		
25	11009-3005	GASKET, pipe to cylinder head	2	2		
26	110B0635	BOLT, 6 x 35mm	4	4		

31. MAGNETO


1
2
35
36
3
4
5
34
33
6
7
8
6
5
9
12
11
13
10
14
30
A
32
31
29
28
27
A
23
24
26
25
19
20
18
21
24
23
22
17
16
15
6
5
4

31. MAGNETO


Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	SS440-A2	ST440-A2	Remarks
1	92071-517	GROMMET, spark plug wire	2	2	2	
2	92071-529	GROMMET, plug wire spacer	1	1	1	
3	21121-3004	COIL, ignition	1	1		
	21121-3005	COIL, ignition			1	
4	220B0625	SCREW, pan head, 6 x 25mm	3	3	4	
5	461F0600	WASHER, spring, 6mm	4	4	5	
6	92022-554	WASHER, plain, 6mm	3	3	4	
7	92027-291	COLLAR, 6.5 x 8.5 x 14mm	1	1	1	
8	92037-3003	CLAMP, igniter harness	1	1	1	
9	220B0640	SCREW, pan head, 6 x 40mm	1	1		
	220B0625	SCREW, pan head, 6 x 25mm			1	
10	21169-3001	TERMINAL, engine connector	5	5	5	
11	59221-3001	CONNECTOR, wiring harness	1	1	1	
12	220B0410A	SCREW, pan head, 4 x 10mm	2	2	2	
13	461F0400	WASHER, spring, 4mm	2	2	2	
14	92022-558	WASHER, plain, 4mm	2	2	2	
15	21119-3002	IGNITER, CDI	1	1	1	Module
16	92071-3501	GROMMET, engine mount	1	1	1	
17	42036-3506	SLEEVE, wire wrap	1	1		Protects lighting coil wires
18	21003-3004	STATOR ASSY	1	1	1	~~1980~~
19	59026-3001	• COIL, pulser	1	1	1	1980 - 59026-3002
20	92011-532	• SCREW, pan head, 5 x 34mm	2	2	2	
21	21047-3001	• COIL, lighting	1	1	1	
22	92037-518	• CLAMP, stator harness	1	1	1	
23	461F0400	• WASHER, spring, 4mm	2	2	2	
24	220B0408A	• SCREW, pan head, 4 x 8mm	2	2	2	
25	92037-517	• CLAMP, coil wire	1	1	1	
26	21049-511	• COIL, exciter	1	1	1	1980-21049-3001
27	92027-521	• COLLAR, coil spacer	2	2	2	
28	92009-3002	• SCREW, pan head, 5 x 38mm	2	2	2	
29	21050-3002	FLYWHEEL	1	1		
	21050-3003	FLYWHEEL			1	
30	220B0520A	SCREW, pan head, 5 x 20mm	2	2	2	
31	461F0500	WASHER, spring, 5mm	2	2	2	
32	92022-544	WASHER, plain, 5mm	2	2	2	
33	92070-3002	PLUG, spark	2	2	2	NGK BR 9-EV
34	49006-3002	BOOT, plug cap			2	
35	21130-508	CAP, spark plug	2	2	2	T 119
36	92071-3506	GROMMET, plug wire			2	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22

32. RECOIL STARTER

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	41086-504	FLANGE, spacer	1	1		
2	49080-3001	PULLEY, starter	1	1	1	
3	461F0600	WASHER, spring, 6mm	3	3	3	
4	110B0618	BOLT, 6 x 18mm	3	3		
	110B0622	BOLT, 6 x 22mm			3	
5	92003-510	BOLT, 6 x 16mm	3	3	3	
6	49088-3005-9H	STARTER ASSY, recoil	1	1	1	Semi gloss black
7	92081-503	• SPRING, pawl return	3	3	3	
8	13069-504	• PAWL, recoil	3	3	3	
9	59101-506	• REEL, recoil rope	1	1	1	
10	13169-3001	• PLATE B, recoil slide	1	1	1	Small OD
11	13169-3002	• PLATE A, recoil slide	1	1	1	Large OD
12	92095-503	• WASHER, thrust	1	1	1	1.2mm thick
13	92028-3007	• BUSHING, nylon	1	1	1	
14	92081-512	• SPRING, plate return	1	1	1	
15	92081-508	• SPRING, friction	1	1	1	
16	13169-3003	• PLATE, friction	1	1	1	
17	92022-564	• WASHER, thrust	1	1	1	1.6mm thick
18	92029-503	• WASHER, spring, 8mm	1	1	1	
19	92015-513	• NUT, 8mm	1	1	1	
20	92081-517	• SPRING, spiral rope return	1	1	1	
21	59106-505	• ROPE, recoil	1	1	1	
22	46075-3002	• HANDLE, recoil rope	1	1	1	

1


Kawasaki
56007-3501

2



Kawasaki
snowmobile
engine
oil
CAUTION! Combustible
Keep away from open spark or flame
ATTENTION! Inflammable
Tenir loin de la flamme nue ou des étincelles
16 U.S. Fl. Oz./16.65 Imp. Fl. Oz.
1 U.S. Pint/.833 Imp. Pint/.473 L

3


Kawasaki
snowmobile
engine oil

33. TOOL KIT

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	56007-3501	TOOL KIT ASSY	1	1	1	
		• BAG, tool				
		• PLIERS				
		• SPANNER, 1/2"-9/16"				
		• SPANNER, 3/8"-7/16"				
		• ADJUSTER, shock cam				
		• WRENCH, box 1/2"-9/16"				
		• WRENCH, box, 17mm-21mm				
		• GRIP, driver				
		• BLADE, driver				
		• WRENCH, hex, 3/16"				
		• WRENCH, hex, 4mm				
		• PULL ROPE ASSY				
2	S61020-101	OIL, case of, engine	AR	AR	AR	24 (US 1 pint) cans
3	S61020-071	OIL, case of, engine	AR	AR	AR	12 (US 1 quart) cans


1
2
3
4
5
SEALER
LIQUID GASKET
6
7
Kawasaki Motors Corp.
IGNITION TESTER
RESET
INDICATOR
ELECTRO-SPECIALTIES, INC.
MILWAUKEE, WISCONSIN
PAT PEND.
LOW
HIGH
8
9
10
11
12
13

34. SPECIAL TOOLS

Ref. No.	Kawasaki Part No.	Description	Quantity SS340-A2	Quantity SS440-A2	Quantity ST440-A2	Remarks
1	57001-3503	GAUGE, converter alignment	1	1	1	
2	57001-3502	PULLER, drive converter	1	1	1	
3	57001-910	PULLER, piston pin	1	1	1	
4	T57001-130	COMPRESSOR SET, piston ring	1	1	1	
5	92104-002	SEALER, liquid gasket	1	1	1	100g tube
6	57001-3507	ADJUSTER	1	1	1	Suspension spring
7	57001-3504	COMPRESSOR, shock spring	1	1	1	
8	T56019-201	TESTER, CD ignition	1	1	1	
9	57001-3501	ADJUSTER, shock cam	1	1	1	
10	57001-3508	PILOT, centering	1	1	1	Driven converter coupler
11	57001-3506	HOLDER, fan pulley			1	
12	57001-3509	PULLER, flywheel	1	1	1	Use three 110P0620 bolts
13	110P0620	• BOLT, flywheel puller	3	3	3	6 x 20mm